

Selected literature on temperate deserts:

- AlHirsh, I., Battisti, C. & Schirone, B. (2016): Threat analysis for a network of sites in West Bank (Palestine): An expert-based evaluation supported by grey literature and local knowledge. Journal for Nature Conservation, 31. Available at: <file://www.sciencedirect.com/science/article/pii/S161713811630019X>.
- Bertzky, B. et al. (2013): Terrestrial Biodiversity and the World Heritage List: Identifying broad gaps and potential candidate sites for inclusion in the natural World Heritage network. Gland-Cambridge.
- Buras, A., Wucherer, W., Zerbe, S., Novitskiy, Z., Muchitdinov, N., Shimshikov, B., Zverev, N., Schmidt, S., Wilmking, M., Thevs, N., 2012. Allometric variability of Haloxylon species in Central Asia. In: Forest Ecology and Management 274, 1-9.
- Cantú-Salazar, L. & Gaston, K.J. (2010): Very Large Protected Areas and Their Contribution to Terrestrial Biological Conservation, 60 (10). pp. 808-818.
- CAREC, Zoi Network & Flermoneca (2015): The State of the Environment in Central Asia, Illustrations of Selected Environmental Themes and Indicators.
- CMS (1979): Convention on the Conservation of Migratory Species of Wild Animals (CMS)
- CMS (2014): Convention on the Conservation of Migratory Species of Wild Animals – Programme of Work for the Central Asian Mammals Initiative (2014-2020). Bishkek.
- Cowan, P.J. (2007): Geographic usage of the terms Middle Asia and Central Asia. Journal of Arid Environments, 69(2), pp. 359-363. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0140196306002916> [Accessed January 23, 2014].
- Dinerstein, E. et al. (2017): An Ecoregion-Based Approach to Protecting Half the Terrestrial Realm. BioScience, XX(X), pp. 1-12.
- Dudley, N., ed. (2008): Guidelines for Applying Protected Area Management Categories. Gland.
- Eastwood, A., Lazkov, G. & Newton, A. (2009): Trees of Central Asia. Cambridge.
- Fet, V. & Atamuradov, K.I. (1994): Biogeography and Ecology of Turkmenistan. Dordrecht.
- Geiger, R. (1961): Überarbeitete Neuausgabe von Geiger, R.: Köppen-Geiger/Klima der Erde. (Wandkarte 1:16 Mill.). Gotha.
- Gintzburger, K. N. et al. (2003): Rangelands of the arid and semi-arid zones in Uzbekistan. CIRAD-ICARDA. Montpellier.
- GiZ (Hrsg.) (2011): Zentralasien. Lokal agieren – Regional kooperieren. Nachhaltige Nutzung natürlicher Ressourcen in Kasachstan, Kirgistan, Tadschikistan, Turkmenistan und Usbekistan. Eschborn.
- Glantz, M.H. & Figueroa, R.M. (1997): Does the Aral Sea merit heritage status? Global Environmental Change, 7(4), pp. 357-380.

- Goudie, A. & Seely, M. (2011): World Heritage Desert Landscapes: Potential Priorities for the Recognition of Desert Landscapes and Geomorphological Sites on the World Heritage List, Gland.
- Groves, C.R. et al. (2002): Biodiversity Conservation: Putting into for Planning. BioScience, 52(6), pp. 499-512.
- IUCN (2003): IUCN Regional Workshop on Biodiversity and Resource Management in Central Asia. Results of Expert Discussion coinciding with EBRD Annual Meeting, 3rd May 2003, Tashkent. Recommendations for conservation of biological diversity and natural resource management and development of regional PA system. Gland.
- IUCN (2004): The World Heritage List: Future priorities for a credible and complete list of natural and mixed sites. A strategy paper prepared by IUCN. Gland.
- IUCN (2016): IUCN World Heritage Evaluations 2016. Gland.
- Kashkarov, R.D., Welch, G.R. & Brombacher, M., eds. (2008): Important Bird Areas in Uzbekistan – Priority sites for conservation. Tashkent.
- Krever, V. et al., eds. (1998): Biodiversity Conservation in Central Asia. Moscow.
- Kurochkina, L.J. (1966): Vegetation of the sand deserts of Kazakhstan. In: Bykov, B.A., ed., Vegetation of Kazakhstan, vol. 1. Alma-Ata, pp. 191-592 (in Russian).
- Lal, R. et al., eds. (2007): Climate Change and Terrestrial Carbon Sequestration in Central Asia. Abingdon-Oxford.
- Magin, C. (2005): World Heritage Thematic Study for Central Asia – A Regional Overview.
- Michael Succow Foundation, ed. (2012): Protected areas in Uzbekistan. Scoping note: Post 2012 Climate Finance Options. Unpublished study. Greifswald.
- Michael Succow Foundation, ed. (2012): Possible constraints for the establishment of an enhanced protected area around Hissar Zapovednik. Unpublished study. Greifswald-Tashkent.
- Michael Succow Stiftung, ed. (2013): Bewertung des Naturschutzzpotentials der Nordküste des Kleinen Aralsees. Unveröffentlichte Machbarkeitsstudie. Greifswald.
- Myers, N. et al. (2000): Biodiversity hotspots for conservation priorities. Nature, 403(6772), pp. 853-858. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10706275>.
- Nordblom T. et al. (1997): Food and feed prospects for resources in Central Asia. In Demment, M., ed., Central Asia Regional Livestock Assessment Workshop. Tashkent. Management Entity, Small Ruminant CRSP, University of California.
- Olson, M.D. & Dinerstein, E. (1998): The Global 200: A Representation Approach to Conserving the Earth's Most Biologically Valuable Ecoregions. Conservation Biology, 12(3), pp. 502-515.
- Quillérou, E., Thomas, R.J., Guchgeldiyev, O. , Ettling, S., Etter, H., & Stewart, N. (2016). Economics of Land Degradation (ELD) Initiative: Broadening options for improved economic sustainability in Central Asia. Synthesis report. Report for the ELD Initiative from the Dryland Systems Program of CGIAR c/o ICARDA, Amman, Jordan. Available from www.eld-initiative.org

Rachkovskaya, E.I., Volkova, E.A. & Khramtsov, V.N. (2003): Botanical Geography of Kazakhstan and Middle Asia (Desert Region). St. Petersburg.

Republic of Uzbekistan & FAO Subregional Office for Central Asia (2014): Country Programming Framework for the Republic of Uzbekistan (2014-2017).

Runge, C.A. et al. (2015): Protected areas and global conservation of migratory birds. SCIENCE, 350(6265), pp. 1255-1258. Published online 5 November 2015: 10.1126/science.aad2456

Rustamov, E.A. (2007): Biodiversity conservation in Central Asia: on the example of Turkmenistan. Tokyo.

Rustamov, E.A., Welch, G.R. & Brombacher, M., eds. (2008). Important Bird Areas in Turkmenistan – Priority sites for conservation. Ashgabat.

Rustamov, E.A. (2014): Turkmenistan: Landscape–Geographical Features, Biodiversity, and Ecosystems. In: I.S. Zonn, I.S. & A.G. Kostianoy, A.G., eds., The Turkmen Lake Altyn Asyr and Water Resources in Turkmenistan. Hdb Env Chem 28, pp. 9-22, Berlin-Heidelberg. Published online: 23 August 2012.

Schroeder, F.-G. (1998): Lehrbuch der Pflanzengeographie. Wiesbaden.

Schultz, J. (2002): The Ecozones of the World. The Ecological Division of the Geosphere. Stuttgart.

Schweizer, M. et al. (2014): Conservation Action Based on Threatened Species Capture Taxonomic and Phylogenetic Richness in Breeding and Wintering Populations of Central Asian Birds. PLoS ONE, 9(10).

Shmida, A. (1985): Biogeography of the desert floras of the world. In: Hot Deserts. Evenari, M. and I. Noy Meir & D.W. Goodall, eds., Ecosystems of the World, Vol. 12a. Hot Deserts and Arid Shrublands. Amsterdam. pp. 23-77.

Sklyarenko, S.L., Welch, G.R. & Brombacher, M., eds. (2008). Important Bird Areas in Kazakhstan – Priority sites for conservation. Almaty.

Stadelbauer, J. (2003): Mittelasien – Zentralasien: Raumbegriffe zwischen wissenschaftlicher Strukturierung und politischer Konstruktion. Petermanns Geographische Mitteilungen, 147(5), S. 58-63.

Thevs, N., Wucherer, W. & Buras, A. (2013): Spatial distribution and carbon stock of the Saxaul vegetation of the winter-cold deserts of Middle Asia. In: Journal of Arid Environments (90), pp. 29-35.

Udvardy, M.D.F. (1975): A Classification of the Biogeographical Provinces of the World. Morges.

UNDP (2015): 5th National Report of the Republic of Uzbekistan on conservation on biodiversity. Uzbekistan.

UNESCO (2011): Preparing World Heritage nominations. Rome-Paris-Gland.

Walter, H. & Breckle, S.W. (1986): Ökologie der Erde, Bd. 3. Spezielle Ökologie der Gemäßigt und Arktischen Zonen Euro-Nordasiens. Stuttgart.

Walter, H. & Breckle, S.W. (1999): Vegetation und Klimazonen. Grundriss der globalen Ökologie.
Stuttgart.

West, N.E. (1983): Comparisons and contrasts between the temperate deserts and semi-deserts of
three continents. In: Temperate Deserts and Semi-Deserts. Amsterdam.